Author Index Vol. 772

Andreev, V.P., Ilyina, N.B., Lebedeva, E.V., Kamenev, A.G. and Popov, N.S.
Electroinjection analysis. Concept, mathematical model and applications 772(1997)115
Aoki, M., see Kobayashi, H. 772(1997)137
Arai, E., see Kobayashi, H. 772(1997)137
Aturki, Z., see Fanali, S. 772(1997)185
Barth, T., see Kašička, V. 772(1997)221
Belháčová, L., see Čurda, L. 772(1997)231
Bellini, S., Uhrová, M. and Deyl, Z.
Determination of the thermodynamic equilibrium constants of water-insoluble (sparingly soluble) compounds by capillary electrophoresis 772(1997)91
Bietlot, H.P., see Girard, M. 772(1997)235
Blanchin, M.D., see Fabre, H. 772(1997)265
Boček, P., see Desiderio, C. 772(1997)81
Boček, P., see Gebauer, P. 772(1997)63
Boček, P., see Gebauer, P. 772(1997)73
Boček, P., see Klepárník, K. 772(1997)243
Boček, P., see Křivánková, L. 772(1997)283
Bogan, D.P., Duffy, C.F. and O'Kennedy, R.
In vitro glucuronidation of 7-hydroxycoumarin and determination of 7-hydroxycoumarin and 7-hydroxycoumarin glucuronide by capillary electrophoresis 772(1997)321
Borovcová, J., see Revilla, A.L. 772(1997)397
Bosc, N., see Fabre, H. 772(1997)265
Brynda, E., see Kašička, V. 772(1997)221
Bütehorn, U. and Pyell, U.
Optimization of resolution in micellar electrokinetic chromatography via computer-aided variation of concentrations of sodium dodecyl sulfate and acetonitrile as modifier 772(1997)27
Caslavska, J., see Gebauer, P. 772(1997)63
Caslavska, J. and Thormann, W.
Bidirectional isotachophoresis in open-tubular, untreated fused-silica capillaries 772(1997)3
Chen, Y., Wang, F.-L. and Schwarz, U.
Polyacrylamide gradient gel-filled capillaries with low detection background 772(1997)129
Colombara, R., see Tavares, M.F.M. 772(1997)171
Cottet, H. and Gareil, P.
Electrophoretic behaviour of fully sulfonated polystyrenes in capillaries filled with entangled polymer solutions 772(1997)369
Čurda, L., Belháčová, L., Uhrová, M., Štětina, J. and Fukal, L.
Assessment of heat-induced denaturation of whey proteins 772(1997)231
Cyr, T.D., see Girard, M. 772(1997)235
Desiderio, C., Fanali, S., Gebauer, P. and Boček, P.
System peaks in capillary zone electrophoresis. II. Experimental study of vacancy peaks 772(1997)81
Desiderio, C., see Fanali, S. 772(1997)185
Deyl, Z., see Bellini, S. 772(1997)91
Deyl, Z., see Mikšík, I. 772(1997)213
Deyl, Z., see Mikšík, I. 772(1997)297
Duffy, C.F., see Bogan, D.P. 772(1997)321
Everaerts, F.M., see Ingelse, B.A. 772(1997)179
Everaerts, F.M., see Martens, J.H.P.A. 772(1997)49
Everaerts, F.M., see Reijenga, J.C. 772(1997)195
Everaerts, F.M., see van der Schans, M.J. 772(1997)255
Fabre, H., Blanchin, M.D., Julien, E., Segonds, C., Mandrou, B. and Bosc, N.
Validation of a capillary electrophoresis procedure for the determination of calcium in calcium acamprosate 772(1997)265
Fanali, S., see Desiderio, C. 772(1997)81
Fanali, S., Desiderio, C. and Aturki, Z.
Enantiomeric resolution study by capillary electrophoresis. Selection of the appropriate chiral selector 772(1997)185
Fischer, J., Jandera, P. and Staněk, V.
Effects of the working electrolyte (cyclodextrin type and pH) on the separation of aromatic sulphonic acids by capillary zone electrophoresis 772(1997)385
Fukal, L., see Čurda, L. 772(1997)231
Fukushi, K., Takeda, S., Wakida, S.-i., Yamane, M., Higashi, K. and Hiiro, K.
Determination of ascorbic acid in vegetables by capillary zone electrophoresis 772(1997)313
Gabriel, J., see Mikšík, I. 772(1997)297
Gareil, P., see Cottet, H. 772(1997)369
Gebauer, P. and Boček, P.
System peaks in capillary zone electrophoresis. I. Simple model of vacancy electrophoresis 772(1997)73
Gebauer, P., Caslavska, J., Thormann, W. and Boček, P.
Prediction of zone patterns in capillary zone electrophoresis with conductivity detection. Concept of the zone conductivity diagram 772(1997)63
Gebauer, P., see Desiderio, C. 772(1997)81
Gebauer, P., see Křivánková, L. 772(1997)283
Girard, M., Bietlot, H.P. and Cyr, T.D.
Characterisation of human serum albumin heterogeneity by capillary zone electrophoresis and electrospray ionization mass spectrometry 772(1997)235
Grimshaw, J., see Rice, A. 772(1997)305
Hadašová, E., see Vargas, G. 772(1997)271
Harland, G.B., see Smyth, W.F. 772(1997)161
Hashimoto, Y., see Hirokawa, T. 772(1997)357
Havel, J., see Pirogov, A.V. 772(1997)347
Havel, J., see Revilla, A.L. 772(1997)397
Havel, J., see Vargas, G. 772(1997)271
Higashi, K., see Fukushi, K. 772(1997)313
Hiiro, K., see Fukushi, K. 772(1997)313
Hirokawa, T. and Hashimoto, Y.
Simultaneous separation of yttrium and lanthanide ions by isotachophoresis 772(1997)357
Hoshino, H., see Krokhin, O.V. 772(1997)339
Ilyina, N.B., see Andreev, V.P. 772(1997)115
Ingelse, B.A., Reijenga, J.C. and Everaerts, F.M.
Reversed determination of the formation constants of 1-allyl terguride with mandelic acid optical isomers using capillary electrophoresis 772(1997)179

Ingelse, B.A., see Reijenga, J.C. 772(1997)195
Iványi, F., see Kaniansky, D. 772(1997)103
Jandera, P., see Fischer, J. 772(1997)385
Janssen, H.J.T., see van der Schans, M.J. 772(1997)255
Jelínková, D., see Mikšík, I. 772(1997)213
Julien, E., see Fabre, H. 772(1997)265
Kamenev, A.G., see Andreev, V.P. 772(1997)115
Kaniansky, D., Krčmová, E., Madajová, V., Masár, M., Marák, J. and Onuska, F.I.
Determination of nitrophenols by capillary zone electrophoresis in a hydrodynamically closed separation compartment 772(1997)327
Kaniansky, D., Marák, J., Masár, M., Iványi, F., Madajová, V., Šimuničová, E. and Zelenská, V.
Capillary zone electrophoresis in a hydrodynamically closed separation system with enhanced sample loadability 772(1997)103
Kašička, V., Prusík, Z., Sázelová, P., Barth, T., Brynda, E. and Machová, L.
Capillary zone electrophoresis with external radial electric field control of electroosmotic flow and its application to the separation of synthetic oligopeptides 772(1997)221
Klepárník, K., Malá, Z. and Boček, P.
Electromigration behaviour of DNA molecules at the free electrolyte–polymer solution interface 772(1997)243
Kloosterman, A.D., see van der Schans, M.J. 772(1997)255
Kobayashi, H., Aoki, M., Suzuki, M., Yanagisawa, A. and Arai, E.
Evaluation of pH gradient formation of carrier ampholytes with synthesized isoelectric point markers in capillary isoelectric focusing 772(1997)137
Krčmová, E., see Kaniansky, D. 772(1997)327
Křivánková, L., Vraná, A., Gebauer, P. and Boček, P.
On-line isotachophoresis–capillary zone electrophoresis versus sample self stacking capillary zone electrophoresis. Analysis of hippurate in serum 772(1997)283
Krokhin, O.V., Hoshino, H., Shpigun, O.A. and Yotsuyanagi, T.
Influence of cationic polymers on separation selectivity in kinetic differentiation mode capillary electrophoresis of metal–4-(2-pyridylazo)resorcinolato chelates 772(1997)339
Kuypers, A.W.H.M., see van der Schans, M.J. 772(1997)255
Lebedeva, E.V., see Andreev, V.P. 772(1997)115
Machová, L., see Kašička, V. 772(1997)221
Madajová, V., see Kaniansky, D. 772(1997)103
Madajová, V., see Kaniansky, D. 772(1997)327
Malá, Z., see Klepárník, K. 772(1997)243
Mandrou, B., see Fabre, H. 772(1997)265
Marák, J., see Kaniansky, D. 772(1997)103
Marák, J., see Kaniansky, D. 772(1997)327
Martens, J.H.P.A., Reijenga, J.C., ten Thije Boonkkamp, J.H.M., Mattheij, R.M.M. and Everaerts, F.M.
Transient modelling of capillary electrophoresis. Isotachophoresis 772(1997)49
Masár, M., see Kaniansky, D. 772(1997)103
Masár, M., see Kaniansky, D. 772(1997)327
Massaro, S., see Tavares, M.F.M. 772(1997)171
Mattheij, R.M.M., see Martens, J.H.P.A. 772(1997)49
McCarron, P., see Rice, A. 772(1997)305
McClean, S., see Smyth, W.F. 772(1997)161
McGrath, G., see Smyth, W.F. 772(1997)161
Mikšík, I., Gabriel, J. and Deyl, Z.
Microemulsion electrokinetic chromatography of diphenylhydrazones of dicarbonyl sugars 772(1997)297
Mikšík, I., Novotná, J., Uhrová, M., Jelínková, D. and Deyl, Z.
Capillary electrophoresis of large cyanogen bromide peptides of fibre-forming collagens with special reference to cross-linking 772(1997)213
Nembri, F., see Righetti, P.G. 772(1997)203
Novotná, J., see Mikšík, I. 772(1997)213
O'Kennedy, R., see Bogan, D.P. 772(1997)321
Onuska, F.I., see Kaniansky, D. 772(1997)327
Oxspring, D., see Smyth, W.F. 772(1997)161
Pirogov, A.V. and Havel, J.
Determination of platinum, palladium, osmium, iridium, rhodium and gold as chloro complexes by capillary zone electrophoresis 772(1997)347
Polášek, M., see Pospíšilová, M. 772(1997)277
Popov, N.S., see Andreev, V.P. 772(1997)115
Pospíšilová, M., Polášek, M. and Procházka, J.
Separation and determination of pharmaceutically important polyols in dosage forms by capillary isotachophoresis 772(1997)277
Procházka, J., see Pospíšilová, M. 772(1997)277
Prusík, Z., see Kašička, V. 772(1997)221
Pyell, U., see Bütehorn, U. 772(1997)27
Reijenga, J.C., see Ingelse, B.A. 772(1997)179
Reijenga, J.C., Ingelse, B.A. and Everaerts, F.M.
Training software for chiral separations in capillary electrophoresis 772(1997)195
Reijenga, J.C., see Martens, J.H.P.A. 772(1997)49
Revilla, A.L., Havel, J., Borovcová, J. and Vrchlabský, M.
Capillary zone electrophoresis of hydroxynaphthalenecarboxylic acids. Purity monitoring of β-hydroxynaphthoic acid in industry 772(1997)397
Rice, A., Grimshaw, J., Trocha-Grimshaw, J., McCarron, P. and Wisdom, G.B.
Identification of α_1-acid glycoprotein (orosomucoid) in human synovial fluid by capillary electrophoresis 772(1997)305
Righetti, P.G. and Nembri, F.
Capillary electrophoresis of peptides in isoelectric buffers 772(1997)203
Rodriguez-Diaz, R., Zhu, M. and Wehr, T.
Strategies to improve performance of capillary isoelectric focusing 772(1997)145
Sázelová, P., see Kašička, V. 772(1997)221
Schwarz, U., see Chen, Y. 772(1997)129
Segonds, C., see Fabre, H. 772(1997)265
Shpigun, O.A., see Krokhin, O.V. 772(1997)339
Šimuničová, E., see Kaniansky, D. 772(1997)103
Slater, G.W. and Treurniet, J.R.
Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39
Smyth, W.F., Harland, G.B., McClean, S., McGrath, G. and Oxspring, D.
Effect of on-capillary large volume sample stacking on limits of detection in the capillary zone electrophoretic determination of selected drugs, dyes and metal chelates 772(1997)161
Staněk, V., see Fischer, J. 772(1997)385
Štětina, J., see Čurda, L. 772(1997)231
Suzuki, M., see Kobayashi, H. 772(1997)137

Takeda, S., see Fukushi, K. 772(1997)313
Tavares, M.F.M., Colombara, R. and Massaro, S.
Modified electroosmotic flow by cationic surfactant additives in capillary electrophoresis. Evaluation of electrolyte systems for anion analysis 772(1997)171
Ten Thije Boonkkamp, J.H.M., see Martens, J.H.P.A. 772(1997)49
Thormann, W., see Caslavska, J. 772(1997)3
Thormann, W., see Gebauer, P. 772(1997)63
Treurniet, J.R., see Slater, G.W. 772(1997)39
Trocha-Grimshaw, J., see Rice, A. 772(1997)305
Uhrová, M., see Bellini, S. 772(1997)91
Uhrová, M., see Čurda, L. 772(1997)231
Uhrová, M., see Mikšík, I. 772(1997)213
Van der Schans, M.J., Kuypers, A.W.H.M., Kloosterman, A.D., Janssen, H.J.T. and Everaerts, F.M.
Comparison of resolution of double-stranded and single-stranded DNA in capillary electrophoresis 772(1997)255
Vargas, G., Havel, J. and Hadašová, E.
Direct determination of procainamide and N-acetylprocainamide by capillary zone electrophoresis in pharmaceutical formulations and urine 772(1997)271
Vraná, A., see Křivánková, L. 772(1997)283
Vrchlabský, M., see Revilla, A.L. 772(1997)397
Wakida, S.-i., see Fukushi, K. 772(1997)313
Wang, F.-L., see Chen, Y. 772(1997)129
Wehr, T., see Rodriguez-Diaz, R. 772(1997)145
Wisdom, G.B., see Rice, A. 772(1997)305
Wroński, M.
Fingerprint of anions involving pK_a, mobility and concentration established by using capillary isotachophoresis 772(1997)19
Yamane, M., see Fukushi, K. 772(1997)313
Yanagisawa, A., see Kobayashi, H. 772(1997)137
Yotsuyanagi, T., see Krokhin, O.V. 772(1997)339
Zelenská, V., see Kaniansky, D. 772(1997)103
Zhu, M., see Rodriguez-Diaz, R. 772(1997)145